

FLEXIBLE
AND CUSTOMIZED
DESIGNS



4

SHELVING & STORAGE RACKS

SOVA

True Ideas for Retail Spaces



HELLO.

WE'RE **SOVA**.

WE'RE HERE TO OFFER YOU A NEW **PATH**.

WE **DREAM** RETAIL WE **DESIGN** RETAIL WE **PLAN**
RETAIL WE **KNOW** RETAIL WE **UNDERSTAND** RETAIL WE
EXPERIENCE RETAIL WE **THINK** RETAIL WE **MAKE** RETAIL
WE **ADMIRE** RETAIL

WE **LOVE** RETAIL

we're | **SOVA**
RETAIL

WELCOME TO **SOVA**





we're | **SOVA**
RETAIL

CHOOSE YOUR PATH



INNOVATIVE APPROACH

We follow all the developments in the retail world. We strive to provide better quality products and services to our customers.

We aim to increase our customers' profitability by running ahead of the market with innovative solutions.

A PROJECT STORY



DREAM TO REALITY STEP BY STEP

Brands that will reach for the future are those that have stores which can touch the soul of the consumer. We use our expertise and our endless energy to design "unique" stores for you.

PROVIDING
SOLUTIONS
FOR EVERY
KIND OF
RETAILING,
SOVA
REALIZES
YOUR
STORE
WITH THE
RIGHT LAYOUT,
BACKED UP
BY A
WIDE
RANGE
OF
EQUIPMENT
AND
ACCESSORIES



DISCOVER OUR PRODUCT RANGE AND
ADD VALUE TO YOUR RETAIL BUSINESS

- 1 SPECIALTY RETAIL DISPLAYS
- 2 DYNAMIC! DISPLAY SYSTEMS
- 3 PHARMACY DISPLAY FIXTURES
- 4 **SHELVING & STORAGE RACKS**
 - METAL SHELF SYSTEMS 8
 - LIGHT DUTY RACKS 28
- 5 RETAIL EQUIPMENT & ACCESSORIES





METAL SHELF SYSTEMS

A diagram of a rectangular plate with a light gray background and a black border. The plate is oriented vertically. At the top, there are two small rectangular tabs, each labeled with the number '5'. To the right of the plate, there is a vertical dimension line labeled '25'.

25 Pitch

Electrostatic Epoxy Polyester Powder Paint

- | | | | | |
|---|----------|---|----------|---|
|  | RAL 9010 |  | RAL 3020 | Alternative color work can be done in line with the customer's request. |
|  | RAL 7035 |  | RAL 1023 | |
|  | RAL 7016 |  | RAL 5010 | |
|  | RAL 1019 |  | RAL 6018 | |
|  | RAL 1011 |  | RAL 2008 | |

300 mm Shelf (1 Support)

400 mm Shelf (2 Support)

500 mm Shelf (3 Support)


600 mm Shelf (4 Support)

600 mm

500 mm

400 mm

300 mm

[illegible]

S25

METAL SHELF SYSTEM



S25 SEMI RACK

METAL SHELF SYSTEM



S25

TOP FREEZER UNIT



METAL SHELF SYSTEMS



S35 Shelf system is used with **Fruit & Vegetable Displays** of the Sova Product Ecosystem. All parts and accessories used in these displays are compatible with the S35 System.

Electrostatic Epoxy Polyester Powder Paint

- Alternative color work can be done in line with the customer's request.

300 mm Shelf (1 Support)

400 mm Shelf (1 Support)

500 mm Shelf (3 Support)


600 mm Shelf (3 Support)

600 mm

500 mm

400 mm

300 mm



S35

METAL SHELF SYSTEM



S35

METAL SHELF SYSTEM



S35

METAL SHELF SYSTEM




S35

TOP FREEZER UNIT



S50

METAL SHELF SYSTEM



50 Pitch

Being a robust and strong shelving system, the S50 Metal Shelving System features a pitch of 50 mm and an easy installation.



S50 metal shelving system, is the most preferred type worldwide, and it is universally **compatible with other 50 mm pitch shelving systems**.

POWDER COATING FEATURES

Electrostatic Epoxy Polyester Powder Paint

- | | | |
|--|--|---|
|  RAL 9010 |  RAL 3020 | Alternative color work can be done in line with the customer's request. |
|  RAL 7035 |  RAL 1023 | |
|  RAL 7016 |  RAL 5010 | |
| |  RAL 6018 | |
| |  RAL 2008 | |

UNIT DIMENSIONS



H:1000mm		H:1400mm		H:1600mm		H:1800mm		H:2000mm		H:2100mm		H:2200mm		H:2400mm	
h:400 mm	h:400 mm	h:400 mm	h:500 mm	h:400 mm	h:400 mm	h:400 mm	h:400 mm	h:400 mm	h:500 mm	h:500 mm	h:500 mm	h:400 mm	h:400 mm	h:400 mm	h:400 mm
h:500 mm	h:500 mm	h:500 mm	h:500 mm	h:500 mm	h:500 mm	h:500 mm	h:500 mm	h:500 mm	h:500 mm	h:500 mm	h:500 mm	h:400 mm	h:400 mm	h:500 mm	h:500 mm

S50

METAL SHELF SYSTEM





LIGHT DUTY RACKS



LIGHT DUTY RACKS

F60

MINIRACK SYSTEM

F60 Minirack System is preferred for light-to-medium load weights, **offering an optimum load capacity** with its **60 mm upright dimension**.

With different profile types and sections, the horizontal beams of the F60 System can bear loads up to **550 kg** per level.

F60 Rack System can be used fully compatible with S35 Rack system to offer in-line combined installations.


POWDER COATING FEATURES

Electrostatic Epoxy Polyester Powder Paint

- | | |
|----------|----------|
| RAL 7016 | RAL 3018 |
| RAL 7035 | RAL 3020 |
| RAL 5010 | RAL 1023 |

Alternative color work can be done in line with the customer's request.

F60 FRAME



F60 FRAME DIMENSIONS

- Standart Frame Height (H) mm**
2000 – 2250 – 2500 – 2750 – 3000 – 3500 – 4000 – 4500 – 5000
- Standart Frame Depth (D) mm**
400 – 500 – 600 – 700 – 800 – 900 – 1000 (SINGLE LEG)
1200 – 1300 – 1400 – 1500 (THREE LEG)

Standart Frame Edges
1,5 – 2 mm

F60 FIXING PARTS

F60 Base Plate



39 x 86 x 71 mm


F60 Steel Peg



F60 Security Pim




F60 Frame Wall Connection




100 – 150 – 200 mm

F60 Frame Interconnection



100 – 150 – 200 mm


F60 BEAM PROFILES



Beam Floor Load Carrying Capacities							
Beam Edge	1000 mm	1250 mm	1500 mm	1750 mm	2000 mm	2250 mm	2500 mm
F60 Z BEAM 66. (1,5 mm)	640 Kg	600 Kg	560 Kg	480 Kg	420 Kg	410 Kg	400 Kg
F60 Z BEAM 66. (2 mm)	810 Kg	760 Kg	710 Kg	600 Kg	550 Kg	440 Kg	420 Kg
F60 OMEGA BEAM 30x60 (1,5 mm)	1150 Kg	860 Kg	660 Kg	550 Kg	500 Kg	460 Kg	410 Kg
F60 OMEGA BEAM 30x60 (2 mm)	1200 Kg	1060 Kg	840 Kg	700 Kg	620 Kg	580 Kg	560 Kg
F60 BOX BEAM 40x60 (1,5 mm)	1200 Kg	860 Kg	700 Kg	660 Kg	540 Kg	500 Kg	440 Kg
F60 BOX BEAM 40x60 (2 mm)	1340 Kg	1100 Kg	880 Kg	770 Kg	640 Kg	600 Kg	550 Kg
F60 BOX BEAM 40x80 (2 mm)		1900 Kg	1600 Kg	1350 Kg	1200 Kg	1170 Kg	1000 Kg
F60 BOX G BEAM 40x80 (2 mm)		1950 Kg	1650 Kg	1400 Kg	1300 Kg	1250 Kg	1070 Kg

F60 TRAYS

Internal Tray



External Tray



F60 FRAME DIMENSIONS

- Standart Tray Depth (D) mm**
400 – 500 – 600 – 700 – 800 – 900 – 1000 (SINGLE LEG)
1200 – 1300 – 1400 – 1500 (THREE LEG)

Standart Tray Lenght (L)
250 – 300 mm

Standart Tray Height (H)
20 mm

Standart Tray Edges
0,8 – 1 – 1,2 – 1,5 mm

F60

WALL RACK



F60

BACK TO BACK SYSTEM

LIGHT DUTY RACKS



F60

THREE LEG SYSTEM



F60


UNIT ENTEGRATED SYSTEM



- It is fully compatible with the S35 Metal Shelving System. Shelving unit is fully integrated as a single upright system.
- In case of S25 or S50 shelving system, a three upright full shelving unit is required and used as an "inserted" shelving unit.

BOLTED

RACK SYSTEM



Bolted Leg Edge

It is a versatile rack system that is used for display, light storage and archiving purposes. It consists of only 2 parts: the profile (upright) and the metal shelf. It is shipped out disassembled and assembled with bolts and nuts. This rack system, which has an **average carrying capacity of 80 kg per shelf**, is used frequently for archiving and filing purposes. Alternative placements can be achieved in project layouts using different sizes.



F60 STEEL PEG

POWDER COATING FEATURES

Electrostatic Epoxy Polyester Powder Paint

- RAL 7016
- RAL 7046

Alternative color work can be done in line with the customer's request.



Bolted L Upright

(h x d x l)

- 1000 x 40 x 40 mm
- 1500 x 40 x 40 mm
- 2000 x 40 x 40 mm
- 2500 x 40 x 40 mm

Bolt

Nut

Profile Edge
1,5 mm x 2 mm



Bolted Shelf

Thickness
0,6 mm / 0,7 mm / 1 mm

(h x d x l)

- | | | |
|-------------------|-------------------|-------------------|
| 20 x 310 x 600 mm | 20 x 430 x 600 mm | 20 x 590 x 600 mm |
| 20 x 310 x 750 mm | 20 x 430 x 750 mm | 20 x 590 x 750 mm |
| 20 x 310 x 930 mm | 20 x 430 x 930 mm | 20 x 590 x 930 mm |

BOLTED

RACK SYSTEM

